

CLAIMS

We claim:

5

1. A method of providing information describing detected uses of communication software applications by remote computer system users to local computer system users, comprising:

obtaining, by an awareness client application process executing on a local
10 computer system, from an associated awareness server application process executing on a server computer system, an online status of said remote computer system user;

presenting, by said awareness client application process, an awareness object associated with said remote computer system user, wherein said awareness object includes an indication of said remote computer system user, wherein said awareness
15 object further includes an indication of said online status of said remote computer system user;

obtaining, by said awareness client application process on said local computer system, responsive to said presenting said awareness object associated with said remote computer system user, communication mode activity information regarding said remote
20 computer system user, wherein said communication mode activity information includes the identity of at least one communication application used by said remote computer system user;

detecting a selection of said awareness object associated with said remote computer user by said local computer system user; and

presenting, by said awareness client application process, said communication mode activity information regarding said remote computer system user in a display for
5 said local computer system.

2. The method of claim 1, wherein said communication mode activity information further comprises a time at which said at least one communication application was used by said remote computer user.

10

3. The method of claim 2, wherein said communication mode activity information further comprises at least one resource used when said at least one communication application was used by said remote user.

15 4. The method of claim 3, wherein said at least one resource comprises a file used by said at least one communication application.

5. The method of claim 3, wherein said communication mode activity information further comprises a time duration for which said at least one communication application was
20 used by said remote computer system user.

6. The method of claim 5, wherein said communication mode activity information further comprises an identity of another user with whom said remote computer system user communicated.

5 7. The method of claim 6, wherein said communication mode activity information further comprises an indication of whether said remote computer system user initiated a communication session.

8. The method of claim 1, further comprising:

10 presenting an interface to user of said local computer system, wherein said interface enables said user of said local computer system to indicate whether communication mode activity information regarding said user of said local computer system is to be shared with other users.

15 9. The method of claim 1, further comprising:

 presenting an interface to said user of said local computer system, wherein said interface enables said user of said local computer system to specify communication mode activity information regarding said user of said local computer system that is to be shared with other users.

20

10. The method of claim 1, further comprising:

 presenting an interface to said user of said local computer system, wherein said interface enables said user of said local computer system to specify one or more other

users with which communication mode activity information regarding said local user is to be shared.

11. A system of providing information describing detected uses of communication
5 software applications by remote computer system users to local computer system users, comprising:

means for obtaining, by an awareness client application process executing on a local computer system, from an associated awareness server application process executing on a server computer system, an online status of said remote computer system
10 user;

means for presenting, by said awareness client application process, an awareness object associated with said remote computer system user, wherein said awareness object includes an indication of said remote computer system user, wherein said awareness object further includes an indication of said online status of said remote computer system
15 user;

means for obtaining, by said awareness client application process on said local computer system, responsive to said presenting said awareness object associated with said remote computer system user, communication mode activity information regarding said remote computer system user, wherein said communication mode activity
20 information includes the identity of at least one communication application used by said remote computer system user;

means for detecting a selection of said awareness object associated with said remote computer user by said local computer system user; and

means for presenting, by said awareness client application process, said communication mode activity information regarding said remote computer system user in a display for said local computer system.

5 12. The system of claim 11, wherein said communication mode activity information further comprises a time at which said at least one communication application was used by said remote computer user.

10 13. The system of claim 12, wherein said communication mode activity information further comprises at least one resource used when said at least one communication application was used by said remote user.

14. The system of claim 13, wherein said at least one resource comprises a file used by said at least one communication application.

15

15. The system of claim 13, wherein said communication mode activity information further comprises a time duration for which said at least one communication application was used by said remote computer system user.

20 16. The system of claim 15, wherein said communication mode activity information further comprises an identity of another user with whom said remote computer system user communicated.

17. The system of claim 16, wherein said communication mode activity information further comprises an indication of whether said remote computer system user initiated a communication session.

5 18. The system of claim 11, further comprising:

means for presenting an interface to user of said local computer system, wherein said interface enables said user of said local computer system to indicate whether communication mode activity information regarding said user of said local computer system is to be shared with other users.

10

19. The system of claim 11, further comprising:

means for presenting an interface to said user of said local computer system, wherein said interface enables said user of said local computer system to specify communication mode activity information regarding said user of said local computer system that is to be shared with other users.

15

20. The system of claim 11, further comprising:

means for presenting an interface to said user of said local computer system, wherein said interface enables said user of said local computer system to specify one or more other users with which communication mode activity information regarding said local user is to be shared.

20

21. A computer program product, wherein said computer program product includes a computer readable medium, said computer readable medium having a computer program for providing information describing detected uses of communication software by remote computer system users to local computer users stored thereon, said computer program
5 comprising:

program code for obtaining, by an awareness client application process executing on a local computer system, from an associated awareness server application process executing on a server computer system, an online status of said remote computer system user;

10 program code for presenting, by said awareness client application process, an awareness object associated with said remote computer system user, wherein said awareness object includes an indication of said remote computer system user, wherein said awareness object further includes an indication of said online status of said remote computer system user;

15 program code for obtaining, by said awareness client application process on said local computer system, responsive to said presenting said awareness object associated with said remote computer system user, communication mode activity information regarding said remote computer system user, wherein said communication mode activity information includes the identity of at least one communication application used by said
20 remote computer system user;

program code for detecting a selection of said awareness object associated with said remote computer user by said local computer system user; and

program code for presenting, by said awareness client application process, said communication mode activity information regarding said remote computer system user in a display for said local computer system.

5 22. The computer program product of claim 21, wherein said communication mode activity information further comprises a time at which said at least one communication application was used by said remote computer user.

23. The computer program product of claim 22, wherein said communication mode
10 activity information further comprises at least one resource used when said at least one communication application was used by said remote user.

24. The computer program product of claim 23, wherein said at least one resource comprises a file used by said at least one communication application.

15

25. The computer program product of claim 23, wherein said communication mode activity information further comprises a time duration for which said at least one communication application was used by said remote computer system user.

20 26. The computer program product of claim 25, wherein said communication mode activity information further comprises an identity of another user with whom said remote computer system user communicated.

27. The computer program product of claim 26, wherein said communication mode activity information further comprises an indication of whether said remote computer system user initiated a communication session.

5 28. The computer program product of claim 21, said computer program further comprising:

program code for presenting an interface to user of said local computer system, wherein said interface enables said user of said local computer system to indicate whether communication mode activity information regarding said user of said local computer
10 system is to be shared with other users.

29. The computer program product of claim 21, said computer program further comprising:

program code for presenting an interface to said user of said local computer
15 system, wherein said interface enables said user of said local computer system to specify communication mode activity information regarding said user of said local computer system that is to be shared with other users.

30. The computer program product of claim 21, said computer program further
20 comprising:

program code for presenting an interface to said user of said local computer system, wherein said interface enables said user of said local computer system to specify

one or more other users with which communication mode activity information regarding said local user is to be shared.

31. A system for providing information describing detected uses of communication software applications by remote computer system users to local computer system users,
5 said computer program comprising:

program code, stored in a computer readable memory communicably coupled to at least one processor in a local computer system, operable to obtain, by an awareness client application process executing on said local computer system, from an associated
10 awareness server application process executing on a server computer system, an online status of said remote computer system user;

program code, stored in said computer readable memory, operable to present, by said awareness client application process, an awareness object associated with said remote computer system user, wherein said awareness object includes an indication of
15 said remote computer system user, wherein said awareness object further includes an indication of said online status of said remote computer system user;

program code, stored in said computer readable memory, operable to obtain, by said awareness client application process on said local computer system, responsive to said presenting said awareness object associated with said remote computer system user,
20 communication mode activity information regarding said remote computer system user, wherein said communication mode activity information includes the identity of at least one communication application used by said remote computer system user;

program code, stored in said computer readable memory, operable to detect a selection of said awareness object associated with said remote computer user by said local computer system user; and

program code, stored in said computer readable memory, operable to present, by
5 said awareness client application process, said communication mode activity information regarding said remote computer system user in a display for said local computer system.

32. A computer data signal embodied in a carrier wave, said computer data signal including at least one computer program for providing information describing detected
10 uses of communication software by remote computer system users to local computer users, said computer program comprising:

program code for obtaining, by an awareness client application process executing on a local computer system, from an associated awareness server application process executing on a server computer system, an online status of said remote computer system
15 user;

program code for presenting, by said awareness client application process, an awareness object associated with said remote computer system user, wherein said awareness object includes an indication of said remote computer system user, wherein said awareness object further includes an indication of said online status of said remote
20 computer system user;

program code for obtaining, by said awareness client application process on said local computer system, responsive to said presenting said awareness object associated with said remote computer system user, communication mode activity information

regarding said remote computer system user, wherein said communication mode activity information includes the identity of at least one communication application used by said remote computer system user;

program code for detecting a selection of said awareness object associated with
5 said remote computer user by said local computer system user; and

program code for presenting, by said awareness client application process, said communication mode activity information regarding said remote computer system user in a display for said local computer system.